# SAFETY DATA SHEET



1. Identification

Product identifier ClearLane® enhanced deicer

Other means of identification

SDS number NC19

Synonyms Sodium Chloride mixed with Magnesium Chloride

Recommended use Salt may be intended for food or animal feed (agricultural) as well as several industrial applications

including deicing and water conditioning.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameCargill IncorporatedAddressMinneapolis, MN 55440Telephone1-888-385-7258

Website www.cargillsalt.com

**Emergency telephone** 

number

CHEMTREC (800) 424-9300

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

# Mixtures

Chemical name	CAS number	%
Sodium Chloride	7647-14-5	91.0-96.0
Water	7732-18-5	2.3-3.6
Magnesium chloride	7786-30-3	1.0-1.3

ClearLane® enhanced deicer SDS US

Sodium Gluconate	527-07-1	<0.02
Xanthan gum	11138-66-2	<0.02
FD&C Blue No. 1	3844-45-9	0.05 - 0.20
FD&C Red 40	25956-17-6	0.05 - 0.20
Tartrazine	1934-21-0	0.05 - 0.20
Trans -2851	Proprietary	0.4-0.8 ppm

#### 4. First-aid measures

Inhalation If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a

physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Give one or two glasses of water if patient is alert and able to swallow. Get medical attention if Ingestion

Direct contact with eyes may cause temporary irritation.

symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Use extinguishing agent suitable for type of surrounding fire.

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Use water spray to cool unopened containers.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards This product is not flammable or combustible.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid release to the environment. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes. Avoid contact with water and moisture. Keep away from strong acids. May evolve chlorine gas when in contact with strong acids. Hydrogen chloride release above 1400°F. Do not reuse containers. Practice good housekeeping.

Conditions for safe storage. including any incompatibilities Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Becomes hygroscopic at 70-75% relative humidity. Avoid humid or wet conditions as product will cake and become hard. Keep out of reach of children.

ClearLane® enhanced deicer SDS US

## 8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes

controls

that may be generated during handling or thermal processing.

Individual protection measures, such as personal protective equipment

Unvented, tight fitting goggles should be worn in dusty areas. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Wear suitable protective clothing. Other

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material **General hygiene** considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

Green damp crystalline solid. **Appearance** 

Physical state Solid.

Damp crystalline solid. **Form** 

Green. Color Odor None.

Not available. **Odor threshold** 

7 - 8.6Ha

Melting point/freezing point 1473.8 °F (801 °C)

Initial boiling point and boiling

range

2669 °F (1465 °C) (760 mmHg)

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure 2.4 mm Hg (1376.6 °F (747 °C))

Vapor density Not available. Relative density 2.16 (H2O = 1)

Solubility(ies)

26.4 % Solubility (water)

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature** Not available. **Viscosity** 

ClearLane® enhanced deicer SDS US

922325 Version #: 03 Revision date: 17-November-2015 Issue date: 30-December-2014 Other information

**Bulk density** 72 - 80 lb/ft<sup>3</sup> **Molecular formula** NaCl, MgCl2

Molecular weight NaCl = 58.44, MgCl2 = 95.22

pH in aqueous solution 5 - 9

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Incompatible materials Avoid contact with strong acids, caustics, ammonia and cyanides. Sodium chloride is incompatible

with lithium and bromine trifluoride. Magnesium chloride is incompatible with

Furan-2-peroxycarboxylic acid.

Hazardous decomposition

products

May evolve chlorine gas when in contact with strong acids. Possibly chlorine, nitrogen and sodium

containing compounds.

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Inhalation of dusts may cause respiratory irritation.

**Skin contact** Prolonged or repeated skin contact may cause irritation. If applied to damaged skin, absorption

can occur with effects similar to those via ingestion.

Eye contact Dust in the eyes will cause irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Eye and skin contact: Exposure may cause temporary irritation, redness, or discomfort. For ingestion, consuming less than a few grams would not be harmful. The following effects were observed after ingesting an excessive quantity: nausea and vomiting, diarrhea, cramps, restlessness, irritability, dehydration, water retention, nose bleed, gastrointestinal tract damage,

fever, sweating, sunken eyes, high blood pressure, muscle weakness, dry mouth and nose, shock, cerebral edema (fluid on brain), pulmonary edema (fluid in lungs), blood cell shrinkage, and brain damage (due to dehydration of brain cells). Death is generally due to cardiovascular

collapse or CNS damage.

## Information on toxicological effects

Acute toxicity In some cases of confirmed hypertension, ingestion may result in elevated blood pressure.

Ingestion of large amounts (greater than 0.1 pound) can cause gastrointestinal upset and irritation of the stomach. Rare cases of over exposure can lead to systemic toxicity related to the binding

of ionized blood calcium.

Components Species Test Results

Sodium Chloride (CAS 7647-14-5)

Acute Oral

LD50 Rat 3000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Dust in the eyes will cause irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

FD&C Blue No. 1 (CAS 3844-45-9) 3 Not classifiable as to carcinogenicity to humans.

ClearLane® enhanced deicer SDS US

922325 Version #: 03 Revision date: 17-November-2015 Issue date: 30-December-2014

### **NTP Report on Carcinogens**

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the physical form of the product it is not an aspiration hazard.

12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability 
No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects None known.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

of MAPPOL 73/79 and

15. Regulatory information

13. Regulatory illiorillation

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

ClearLane® enhanced deicer

## SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

Inventory name

(SDWA)

### **US** state regulations

### **US. Massachusetts RTK - Substance List**

FD&C Blue No. 1 (CAS 3844-45-9)

#### US. New Jersey Worker and Community Right-to-Know Act

Not listed

### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

# **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date 30-December-2014
Revision date 17-November-2015

Version # 03
HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0 Personal protection: A

ClearLane® enhanced deicer SDS US

922325 Version #: 03 Revision date: 17-November-2015 Issue date: 30-December-2014

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

All statements, technical information and recommendations contained herein are, the best of our knowledge, reliable and accurate; however no warranty, either expressed or implied is made with respect thereto, nor will any liability be assumed for damages resultant from the use of the material described.

It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations. It is also the responsibility of the user to maintain a safe workplace. The user should consider the health hazards and safety information provided herein as a guide and should take the necessary steps to instruct employees and to develop work practice procedures to ensure a safe work environment.

This information is not intended as a license to operate under, or a recommendation to practice or infringe upon any patent of this Company or others covering any process, composition of matter or use.

ClearLane® enhanced deicer